🎒 Murata Software

Q: In Femtet, which is the temperature-dependent coefficient of linear thermal expansion, an instantaneous one or a secant coefficient one?

A: Enter the instantaneous coefficient, or temporal variations, into the temperature dependency table. Do not enter the secant coefficient that is calculated based on the variation of the thermal strain from the thermal strain at the reference temperature.